#### **ORDINANCE NUMBER 21-47**

### AN ORDINANCE OF THE CITY OF WESTFIELD AND WASHINGTON TOWNSHIP, HAMILTON COUNTY, INDIANA CONCERNING AMENDMENT TO THE UNIFIED DEVELOPMENT ORDINANCE

#### "Courtyards at Spring Mill PUD"

This is a Planned Unit Development District Ordinance (the "Ordinance") for the Courtyards at Spring Mill PUD District, to amend the Unified Development Ordinance of the City of Westfield and Washington Township, Hamilton County, Indiana (the "UDO"), enacted by the City of Westfield pursuant to its authority under the laws of the State of Indiana, Ind. Code § 36-7-4 et seq., as amended.

**WHEREAS**, the City of Westfield, Indiana (the "City") and the Township of Washington, both of Hamilton County, Indiana are subject to the UDO;

WHEREAS, the Westfield-Washington Advisory Plan Commission (the "Commission") considered a petition (Petition No. 2111-PUD-28), requesting an amendment to the UDO and the Zoning Map with regard to the subject real estate more particularly described in <a href="Exhibit A">Exhibit A</a> attached hereto (the "Real Estate");

WHEREAS, the Commission forwarded Petition No. 2111-PUD-28 to the Common Council of the City of Westfield, Hamilton County, Indiana (the "Common Council") with a recommendation (\_\_-\_\_) in accordance with Indiana Code § 36-7-4-608, as required by Indiana Code § 36-7-4-1505;

**WHEREAS**, the Common Council is subject to the provisions of the Indiana Code §36-7-4-1507 and Indiana Code § 36-7-4-1512 concerning any action on this request; and

**NOW, THEREFORE, BE IT ORDAINED** by the Common Council of the City of Westfield, Hamilton County, Indiana, meeting in regular session, that the UDO and Zoning Map are hereby amended as follows:

#### **Section 1. Applicability of Ordinance.**

- 1.1 The UDO and Zoning Map are hereby changed to designate the Real Estate as a Planned Unit Development District to be known as the "Courtyards at Spring Mill PUD District" (the "District").
- 1.2 Development of the Real Estate shall be governed by (i) the provisions of this Ordinance and its exhibits, and (ii) the provisions of the UDO, as amended and applicable to the Underlying Zoning District or a Planned Unit Development District, except as modified, revised, supplemented or expressly made inapplicable by this Ordinance.
- 1.3 Chapter ("Chapter") and Article ("Article") cross-references of this Ordinance shall hereafter refer to the section as specified and referenced in the UDO.
- 1.4 All provisions and representations of the UDO that conflict with the provisions of this Ordinance are hereby made inapplicable to the Real Estate and shall be superseded by the terms of this Ordinance.
- **Section 2. Definitions.** Capitalized terms not otherwise defined in this Ordinance shall have the meanings ascribed to them in the Unified Development Ordinance.
- Section 3. Concept Plan. The Concept Plan, attached hereto as Exhibit B (the "Concept Plan"), is hereby incorporated in accordance with Article 10.9(F)(2) Planned Unit Development Districts; PUD District Ordinance Requirements; Concept Plan.
  - 3.1 The Real Estate shall be developed in substantial compliance with the Concept Plan as determined by the Director.
- <u>Section 4.</u> <u>Underlying Zoning District(s).</u> The Underlying Zoning District for the Real Estate shall be SF4: Single-Family High Density District.
- **Section 5. Permitted Uses.** The permitted uses shall be as set forth below:
  - All uses permitted in the Underlying Zoning District, as set forth in Chapter 4 and Chapter 13 of the UDO, shall be permitted.
  - 5.2 Special Exceptions and Prohibited Uses of the Underlying Zoning District shall be prohibited.
  - 5.3 The maximum number of Dwelling Units shall not exceed one-hundred and eighty-four (184).
  - 5.4 Age-Restricted Requirement: The development of dwellings on the Real Estate shall be operated as an age-restricted community in compliance with

all applicable state and federal laws, including 42 U.S.C. § 3607.

**Section 6. General Regulations.** The standards of Chapter 4: Zoning Districts, as applicable to the Underlying Zoning District, shall apply to the development of the District, except as otherwise modified below.

Standard	Area A
Minimum Lot Area	6,000sqft
Minimum Lot Frontage	35'
Minimum Building Setback	
Front Yard	20' from garage door to right-of-way 10' from porch or front door
Side Yard (Building Separation)	5' (10')
Rear Yard	20'
Minimum Lot Width	52'
Maximum Building Height	1 ½ Stories
Minimum Living Area (Total)	1,400sqft

- **Section 7. Development Standards.** The standards of Chapter 6: Development Standards shall apply to the development of the District.
  - 7.1 <u>Article 6.3 Architectural Standards</u> shall not apply to the District, rather the following standards shall apply:
    - A. <u>Building Elevations</u>: Attached hereto and incorporated herein by reference as <u>Exhibit C</u> ("Conceptual Architectural Character") are typical building elevations, depicting the character of the homes to be constructed upon the Real Estate. The Developer proposes six (6) different floorplans with twenty-four (24) elevations to be built in this community.
    - B. <u>Building Materials</u>: The homes shall be comprised of any mix and combination of the following materials: brick, cast stone, stone, cultured stone, cement fiberboard, engineered wood siding (e.g., LP SmartSide), siding, glass, wood or vinyl soffits, and vinyl windows and/or equivalent or superior quality thereof for all the foregoing, except that vinyl and aluminum siding shall not be permitted.
    - C. <u>Perimeter Lots</u>: The Dwelling Units on lots identified on the Concept Plan with an "\*" ("Perimeter Lots") shall include enhanced rear architectural features on all homes. Rear facades on Perimeter Lots shall include:
      - i. A minimum of one (1) or two (2) windows (faux windows shall be

- permitted) as deemed appropriate based upon the façade's massing.
- ii. A maximum 1 ½ story Dwelling;
- iii. Landscaping consistent with the Spring Mill Road external street frontage 30' buffer detail outlined in the Buffer Yard Plan (see **Exhibit E**);
- iv. Twelve (12) inch overhangs around the entire Dwelling, as measured prior to the installation of Masonry Materials; and
- v. A minimum roof pitch of 8:12 around the entire dwelling on all main roof areas.
- vi. Corner lots where the side façade is visible from the public right-ofway shall also include a courtyard. The yard adjacent to this side façade shall include a minimum of one tree (shade, ornamental or evergreen) and five shrubs.
- D. Exterior Trim: Wood, fiber cement or equivalent trim shall be used for corners, frieze boards, window wraps, door wraps, and as a transitional material between two different exterior materials, provided, however, trim shall not be required for windows, doors, corners, and the like that are surrounded by Masonry Materials; and provided further, that if windows have shutters, then such windows shall not require a trim wrap. Unless otherwise provided herein, windows shall have exterior trim on all four sides of each window. The minimum width of window trim boards shall be three and one-half (3½) inches wide.
- E. <u>Building Height</u>: All homes (both 1 story and 1½ story) shall be regulated under the provisions of the UDO as a single story Dwelling Unit.
- F. <u>Minimum Overhangs</u>: All homes shall have a minimum of twelve (12) inch framed (measured from the frame prior to the installation of exterior siding materials) roof overhangs. Lesser overhangs shall be permitted for secondary roof areas such as, but not limited to, porches and bay windows.
- G. <u>Roof Pitches</u>: The minimum roof pitch for the main roof of a home shall be 8/12. Gable, dormer and porch roof pitches may vary to achieve various architectural styles.
- H. Shingles. All homes shall have dimensional or architectural grade shingles.
- I. <u>Garages and Driveways</u>. All homes shall have at least a 2-car attached garage and meet the following requirements:
  - i. All garage doors shall have decorative designs and options for window panels. Garage doors shall be of a color and style that is consistent with

- the architecture of the home. The exterior color palates for each home shall be selected and designed in a manner which de-emphasizes the location and placement of the garage door.
- ii. Each garage shall include at least two (2) coach lights.
- iii. Garages shall be set back in all cases such that a front porch and/or living space is forward of the garage area.
- iv. Driveways shall be a minimum of sixteen (16) feet in width and twenty (20) feet in length and shall be constructed of concrete, asphalt or pavers.
- J. <u>Additional Front Building Façade Architectural Standards:</u> At a minimum each Dwelling shall utilize the following architectural elements on the Front Building Façade:
  - i. Masonry (either stone or brick veneer) shall be used as an exterior building material on the front building facade.
  - ii. Architecturally enhanced / decorative trim or masonry detailing (i.e. arches, cornices, crossheads, ornate moldings, pediments, or shutters).
  - iii. Roof design featuring a hip roof; dormers (a minimum of two (2) dormers); a reverse gable; a shed roof accent; or, two (2) or more roof planes.
  - iv. All dwellings shall have a minimum of two (2) windows on the Front Façade. For the purposes of this calculation, a double window shall be counted as two (2) windows.
- 7.2 <u>Article 6.5 Fence Standards:</u> Shall apply, except that the following shall apply:
  - A. Courtyard fences (fences which surround outdoor spaces as illustrated in **Exhibit K** (Typical Courtyards) at a maximum height of six (6) feet shall be permitted in a Front Yard
  - B. Fences shall be ornamental metal or vinyl as generally depicted in **Exhibit K**.
  - C. The fences adjacent to dwellings identified with a "red dot" on the Concept Plan shall not have a gate which opens to the Common Area along the east perimeter of the Real Estate.
  - D. An additional fence, identified as "Proposed Fence" shall be ornamental metal and provided within the common area along the east perimeter of the Real Estate. This fence along with the fence of adjacent lots shall create a fence line that serves to restrict access to the buffer along the east perimeter of the Real

Estate.

- 7.3 <u>Article 6.8 Landscaping Standards</u>: Shall apply, except as otherwise modified or enhanced below.
  - A. <u>Street Trees:</u> Article 6.8(J) Street Trees shall apply, except as modified below:
    - i. One (1) street tree shall be required per Dwelling Unit lot, per frontage. Street trees shall be permitted to be located inside or outside the public right-of-way within ten (10) feet of the right-of-way.
    - ii. Along public rights of way adjacent to Common Areas, a minimum of one (1) street tree shall be provided per fifty (50) feet.
  - B. <u>Lot Landscaping</u>: Article 6.8(K) Minimum Lot Landscaping Requirements shall apply except as modified below:
    - i. Typical lot landscaping of the Dwellings is conceptually illustrated in Exhibit D, attached hereto and incorporated herein ("Typical Lot Landscaping"). This Typical Lot Landscaping exhibit is included for illustrative purposes. To the extent the depictions illustrated in this exhibit conflict with the terms of the Ordinance, the Ordinance shall prevail.
    - ii. A minimum of one (1) Ornamental Tree and ten (10) Shrubs shall be required per lot in the Front Yard.
    - iii. Front yards must be planted with sod and side and rear yards may be either seeded or sodded except as further provided in paragraph 7.2 B (iv) below. For corner lots, sod shall be planted in both Front Yards.
    - iv. Fenced courtyards shall be landscaped and may include artificial turf, decorative gravel and/or pavers as ground covering inside courtyard areas in lieu of lawn areas.
  - C. Clubhouse Area Landscaping and Fencing:
    - i. A minimum of six (6) ornamental and/or shade trees and thirty (30) shrubs.
    - ii. Artificial turf shall be permitted in the fenced pool area and may be utilized for sport courts.
    - iii. The pickleball court may be enclosed with a coated chain link fence not to exceed six (6) feet in height. The fence shall be dark in color.
  - D. <u>Perimeter Landscaping</u>: Article 6.8(M) External Street Frontage Landscaping Requirements and Article 6.8(N) Buffer Yard Requirements shall apply except

as modified or enhanced below:

- i. Buffer Yard and External Street Frontage Landscaping shall be as generally depicted on Exhibit E, attached hereto ("Buffer Yard Plan").
- ii. The External Street Frontage buffer yard shall be thirty (30) feet in width and include four (4) evergreen trees, three (3) shade trees, three (3) ornamental trees per one-hundred (100) feet, a 4-rail horse fence and a minimum three (3) foot tall undulating mound as generally depicted on Exhibit F and Exhibit G.
- iii. North Buffer Yard shall be forty (40) feet with four (4) evergreen trees, four (4) shade trees, per one-hundred (100) feet and a 4-rail horse fence as generally depicted on Exhibit F.
- iv. A fifteen foot Common Area shall be provided along the east and south perimeter of the Real Estate.
- v. No mounds shall be required in a Buffer Yard.
- vi. No accessory structures shall be permitted between the rear façades of the Dwelling Units/courtyard areas and the rear property line of the Lot. Such areas shall be commonly maintained as passive lawn and landscaping areas.
- vii. If a provision of Article 6.8 Landscaping Standards is in conflict with the Buffer Plan, the Conceptual Perimeter Street Buffer Landscape Treatment or the Conceptual Residential Buffer Landscape Treatment, then this Ordinance shall prevail. Relocation of plant materials shall be permitted as part of the Development Plan approval subject to the approval of the Director.
- 7.4 <u>Entry Features</u>: Entry features shall be provided at each entry to the development. The entry features shall include entry signs (constructed in accordance with Chapter 6.17.G.1), fencing and landscaping. The entry feature concept plan is attached hereto as <u>Exhibit G</u> ("Conceptual Entry Features").
- 7.5 <u>Temporary Uses and Events</u>: Article 6.18(J) Model Homes shall apply except as modified below:
  - A. The number of Model Home Temporary Uses shall be limited to three (3).
  - B. A Model Home Temporary Use shall permit the use of construction and sales temporary trailers.

- C. Temporary trailers, as part of a Model Home Temporary Use shall be permitted on the Real Estate prior to the installation of roads.
- D. A permit for a Temporary Model Home Use shall be renewable by the Director for an unlimited number of twenty-four (24) month increments.
- <u>Infrastructure Standards.</u> The District's infrastructure shall comply with the Unified Development Ordinance and the City's Construction Standards (see Chapter 7: Subdivision Regulations), unless otherwise approved by the Plan Commission or Department of Public Works in consideration to the preservation of the natural topography and environment and in consideration to the unique design intent of the District.
  - 8.1 Internal street rights-of way within the District shall be fifty-nine (59) feet in width.
- **Section 9. Design Standards.** The standards of Chapter 8: Design Standards shall apply to the development of the District, except as otherwise modified below.
  - 9.1 Article 8.6 Open Space and Amenity Standards: Shall apply except as otherwise modified or enhanced herein. Amenities in the District will include: (a) passive amenities in the form of landscaped open space and ponds, identified in Exhibit H ("Conceptual Open Space and Pedestrian Connectivity Plan") and Exhibit I ("Conceptual Amenities Plan", both attached hereto; (b) a minimum of three (3) parkettes (see parkette area as illustrated on Exhibit H) which may include, but shall not be limited to, open areas, seating, landscaping, walking paths, meeting areas, identified in the Conceptual Open Space and Connectivity Plan and the Conceptual Amenities Plan; and (c) a clubhouse amenity area, identified in the Conceptual Amenity Plan and Exhibit J, attached hereto ("Conceptual Clubhouse Amenity Area Enlargement"). The clubhouse amenity area will include the following: (i) the clubhouse at least twenty-five hundred (2,500) square feet, including but not limited to a fitness center, restrooms, community room and outdoor fireplace gathering area; (ii) a parking lot; (iii) a swimming pool adjacent to the clubhouse; and (iv) pickleball court(s).
  - 9.2 A Certificate of Occupancy shall be issued for the clubhouse amenity prior to the issuance of eighty (80) single-family building permits on the Real Estate.
- **Section 9. Duration.** Failure to obtain Secondary Plat / Construction Plan approval for the District by January 1, 2027 (unless otherwise extended by the Director) shall automatically void this Ordinance and cause the zoning classification of the Real Estate to revert back to its original classification before this Ordinance was adopted.

 $Page \mid \mathbf{8}$  Version 6 011122

<u>Section 10.</u> <u>Severability</u>. If any term or provision of this ordinance is held to be illegal or unenforceable, the validity or enforceability of the remainder of this ordinance will not be affected.

[Remainder of page intentionally left blank, signature page follows]

ALL	OF	WHICH	IS	HEREBY	ADOPTED	BY	THE	CITY	COUNCIL	OF
WESTFIELI	D, HA	MILTON	CO	UNTY, IND	DIANA THIS		DA	Y OF	, 2021	1.

### WESTFIELD CITY COUNCIL HAMILTON COUNTY, INDIANA

Voting For	Voting Against	<u>Abstain</u>
James J. Edwards	James J. Edwards	James J. Edwards
Scott Frei	Scott Frei	Scott Frei
Jake Gilbert	Jake Gilbert	Jake Gilbert
Mike Johns	Mike Johns	Mike Johns
Troy Patton	Troy Patton	Troy Patton
Cindy L. Spoljaric	Cindy L. Spoljaric	Cindy L. Spoljaric
Scott Willis	Scott Willis	Scott Willis
ATTEST:		
Cindy J. Gossard, Clerk-Treasurer	_	

I hereby ce	rtify that <b>ORDI</b>	NANCE was do	elivered to	the Mayor of Westfield	
on the	day of	, 2021, at _		m.	
Cindy J. Go	ossard, Clerk-Tre	easurer			
I hereby A	APPROVE Ordin	ance	I hereby	VETO Ordinance	
this	day of	, 2021.	this	day of	, 2021.
J. Andrew	Cook, Mayor		J. Andre	w Cook, Mayor	
	he penalties for perjur by law: Jon C. Dobos		le care to reda	ct each Social Security number i	n this document,
This docum	ent prepared by:			bosiewicz; Nelson & Fran 0, Carmel, IN 46032 (317	-
Courtyards at Spring Mi	ill PUD - 6 011122	5	,	, , , , , , , , , , , , , , , , , , ,	,

#### **SCHEDULE OF EXHIBITS**

Exhibit A Real Estate (Legal Description)

Exhibit B Concept Plan

Exhibit C Conceptual Architectural Character

Exhibit D Typical Lot Landscaping

Exhibit E Buffer Yard Plans

Exhibit F Conceptual Buffer Landscape Treatment

Exhibit G Conceptual Entry Features

Exhibit H Conceptual Open Space and Pedestrian Connectivity Plan

Exhibit I Conceptual Amenities Plan

Exhibit J Conceptual Amenity Area Enlargement

Exhibit K Typical Courtyards


### EXHIBIT A REAL ESTATE

(Page 1 of 2)

PART OF THE NORTHWEST QUARTER AND PART OF THE SOUTHWEST QUARTER OF SECTION 35, TOWNSHIP 19 NORTH, RANGE 3 EAST LOCATED IN WASHINGTON TOWNSHIP, HAMILTON COUNTY, INDIANA, BEING DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF THE NORTHWEST OUARTER OF SECTION 35, TOWNSHIP 19 NORTH, RANGE 3 EAST; THENCE NORTH 89 DEGREES 38 MINUTES 27 SECONDS EAST (ASSUMED BEARING) 1,324.91 FEET ON AND ALONG THE NORTH LINE OF SAID NORTHWEST QUARTER TO THE NORTHEAST CORNER OF THE WEST HALF OF SAID NORTHWEST QUARTER, SAID CORNER BEING COLLINEAR WITH AND EQUIDISTANT FROM THE NORTHEAST CORNER AND THE NORTHWEST CORNER OF SAID NORTHWEST QUARTER; THENCE SOUTH 00 DEGREES 05 MINUTES 54 SECONDS WEST 1012.83 FEET (MEASURED 1011.75 FEET, MORE OR LESS, IN INSTRUMENT NO. 4539, DEED RECORD 183, PAGE 109) ON AND ALONG THE EAST LINE OF THE WEST HALF OF SAID NORTHWEST QUARTER TO A FENCE LINE AND THE POINT OF BEGINNING OF THIS DESCRIPTION; THENCE NORTH 89 DEGREES 56 MINUTES 06 SECONDS WEST 582.77 FEET (MEASURED 585 FEET IN INSTRUMENT NO. 4539) ON AND ALONG SAID FENCE LINE TO A CORNER POST; THENCE NORTH 89 DEGREES 34 MINUTES 03 SECONDS WEST 739.69 FEET TO A POINT ON THE WEST LINE OF SAID NORTHWEST QUARTER; THENCE SOUTH 00 DEGREES 00 MINUTES 00 SECONDS 1647.15 FEET TO THE SOUTHWEST CORNER OF SAID NORTHWEST OUARTER: THENCE SOUTH 00 DEGREES 08 MINUTES 01 SECOND EAST 599.50 FEET ON AND ALONG THE WEST LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 35; THENCE NORTH 89 DEGREES 38 MINUTES 45 SECONDS EAST 1319.31 FEET PARALLEL WITH THE SOUTH LINE OF THE NORTHWEST QUARTER OF SAID SOUTHWEST QUARTER TO A POINT ON THE EAST LINE OF THE NORTHWEST OUARTER OF SAID SOUTHWEST OUARTER; THENCE NORTH 00 DEGREES 06 MINUTES 06 SECONDS WEST 596.83 FEET TO THE NORTHEAST CORNER OF THE NORTHWEST QUARTER OF SAID SOUTHWEST QUARTER; THENCE NORTH 00 DEGREES 05 MINUTES 54 SECONDS EAST 1635.42 FEET TO THE POINT OF BEGINNING. CONTAINING 67.8 ACRES, MORE OR LESS.

### EXHIBIT A REAL ESTATE (Page 2 of 2)



### EXHIBIT B CONCEPT PLAN

(Page 1 of 1)



Note: Larger scale paper and digital copies of the Concept Plan are on file with the Department of Economic and Community Development under Docket Number 2111-PUD-28.

# EXHIBIT C Conceptual Architectural Character (Page 1 of 5)





# EXHIBIT C Conceptual Architectural Character (Page 2 of 5)





# EXHIBIT C Conceptual Architectural Character (Page 3 of 5)





EXHIBIT C
Conceptual Architectural Character
(Page 4 of 5)






Page | 19
VERSION 6 011122

# EXHIBIT C Conceptual Architectural Character (Page 5 of 5)



EXHIBIT D
Typical Lot Landscaping
(Page 1 of 3)









EXHIBIT D
Typical Lot Landscaping
(Page 2 of 3)





## EXHIBIT D Typical Lot Landscaping (Page 3 of 3)



### EXHIBIT E Buffer Yard Plans (Page 1 of 1)



Note: Larger scale paper and digital copies of the plans are on file with the Department of Economic and Community Development under Docket Number 2111-PUD-28.

#### **EXHIBIT F**

### Conceptual Buffer Landscape Treatment

(Page 1 of 1)



### EXHIBIT G Conceptual Entry Features (Page 1 of 1)



LOCATION PLAN



A SPRING MILL ROAD CONCEPTUAL ENTRY





CONCEPTUAL ENTRY FEATURE SIGN

BLACK 4 RAIL HORSE FENCE



#### THE COURTYARDS AT SPRING MILL

EMH\*T

\\ampediationstatic \text{\subseteq} \te



#### **EXHIBIT H**

### Conceptual Open Space and Pedestrian Connectivity Plan (Page 1 of 1)



#### **EXHIBIT I** Conceptual Amenities Plan

(Page 1 of 1)



#### KEY (TYPICAL AMENITIES)



CLUBHOUSE AMENITY AREA



- B PARKETTES

  Open Space Areas Featuring Paving, Sealing, Lanascaping, and/ar walking Path Connection

  Used Mare Passiver for Informs Meeting, "Callies aid,", Meditation/"Oga, Book Club, Reading, Pathting, Etc.
- PASSIVE OPEN SPACE

  - Lawn and/or Landscaping
     Dark Color Fernáng A ong Franlage
     Ferimeter Landscape Sutter on North and Springmil Road
    May Include Community Garden / Garden Shed
     May Include Community Garden / Garden Shed

#### ENTRY FEATURES

- Southern Frinary Linfty Boulevard Enrity Landscoped Enry Faalure with Community Identification Sign Dat Color Rance: Along Frinlago Rise Path



#### THE COURTYARDS AT SPRING MILL

EMH\*T

CONCEPTUAL AMENITIES
PLAN
WESTFIELD, HAMILTON COUNTY, INDIANA



### **EXHIBIT J** Conceptual Amenity Area Enlargement (Page 1 of 1)



CONCEPTUAL CLUBHOUSE AMENITY AREA ENLARGEMENT NOTTO SCALE







TYPICAL POOL



IYPICAL PICKELBALL



THE COURTYARDS AT SPRING MILL

CONCEPTUAL AMENITY

AREA ENLARGEMENTS

WESTFIELD, HAMILTON COUNTY, INDIANA





## EXHIBIT K Typical Courtyards (Page 1 of 1)




TYPICAL COURTYARD



TYPICAL COURTYARD ADJACENT TO OPEN SPACE



TYPICAL COURTYARD/ SHARED USE SPACE



TYPICAL UNIT COURTYARDS



IMPICAL COURTYARD ADJACENT TO OPEN STREET



TYPICAL COURTYARD



IYPICAL COURTYARD ADJACENT TO OPEN SPACE



TYPICAL COURTYARD/SHARED USE SPACE



TYPICAL COURTYARD



#### THE COURTYARDS AT SPRING MILL



— TYPICAL COURTYARDS — WESTFIELD, HAMILTON COUNTY, INDIANA

